







DRY UTILITY CLEAR ZONE IS AN AREA WHERE NON-CITY UTILITIES (E.G. CABLE, FIBER, ELECTRIC) SHALL NOT BE LOCATED WITHOUT WRITTEN AUTHORIZATION FROM CITY ENGINEERING.


GENERAL NOTES:


1. ALL WORK SHALL BE DONE IN ACCORDANCE WITH CURRENT CITY OF COLORADO SPRINGS ENGINEERING DIVISION (THE CITY) STANDARD SPECIFICATIONS.
2. THE CONTRACTOR SHALL OBTAIN ALL REQUIRED PERMITS. FOR CITY PERMITS (TRAFFIC/EXCAVATION) CONTRACTORS SHALL USE THE CITY'S ON-LINE PERMIT SYSTEM. ONCE CITY PERMITS ARE APPROVED AND PAID, THEN SCHEDULING AND NOTIFICATIONS SHALL BE SUBMITTED THROUGH THE ONLINE PERMITTING SYSTEM.
3. CONTACT THE CITY FORESTRY DIVISION, PRIOR TO STARTING WORK, IF IT IS NECESSARY TO DISTURB TREES OR ROOTS.
4. VAULTS SHALL NOT BE LOCATED WITHIN SIDEWALKS OR CURB RAMPS.
5. NO ABOVE GRADE OBJECTS SHALL BE PLACED WITHIN THE LINE OF SIGHT AS DESCRIBED IN THE ENGINEERING CRITERIA MANUAL.
6. ALL ABOVE GRADE STRUCTURES SHALL ADHERE TO THE CLEAR ZONE POLICY.
7. RIGHT-OF-WAY AND EASEMENTS SHOULD BE VERIFIED BY USING THE EL PASO COUNTY ASSESSOR'S WEBSITE.





	DRY UTILITY CLEAR ZONE LOCATION	
	APPROVED: <i>Jayle Sturdivant</i> CITY ENGINEER	
	ISSUED: 4/7/23	DRAWING NO. 36A




-  DRY UTILITY CLEAR ZONE
-  DRY UTILITY INSTALLATION ZONE
-  PUBLIC IMPROVEMENT EASEMENT (P.I.E.)
-  SIDEWALK

 <p>COLORADO SPRINGS</p>	DRY UTILITY CLEAR ZONE LOCATION	
	APPROVED: <i>Gayle Sturdivant</i> <small>CITY ENGINEER</small>	
	ISSUED: 4/7/23	REVISED:



-  DRY UTILITY CLEAR ZONE
-  DRY UTILITY INSTALLATION ZONE
-  PUBLIC IMPROVEMENT EASEMENT (P.I.E.)
-  SIDEWALK

	DRY UTILITY CLEAR ZONE LOCATION	
	APPROVED: <i>Gayle Sturdivant</i> <small>CITY ENGINEER</small>	
	ISSUED: 4/7/23	REVISED: